

Package: geocompkg (via r-universe)

September 1, 2024

Title Geocomputation with R Metapackage

Version 2.2.3

Description Package supporting the book Geocomputation with R ([\url{https://r.geocompx.org}](https://r.geocompx.org)). The packages in the Imports are required to build the first chapter of the book. The packages in Suggests are required for Part II and III.

Imports dplyr, sf, terra, spData, spDataLarge, units, methods

URL <https://github.com/geocompx/geocompkg>,
<https://geocompx.github.io/geocompkg/>

BugReports <https://github.com/geocompx/geocompr/issues>

RoxygenNote 7.2.3

Suggests bench, bookdown, bslib, cartogram, classInt, codetools, data.table, dismo, downlit, exactextractr, future, gdalcubes, geodata, geogrid, geosphere, GGally, ggplot2, ggsf, gh, gstat, historydata, htmlwidgets, httr, kableExtra, kernlab, knitr, igraph, languageserver, leaflegend, leaflet, lgr, link2GI, lwgeom, mapdeck, mapsf, mapview, magick, metathis, mlr3, mlr3extralearners, mlr3learners, mlr3proba, mlr3spatiotempcv, mlr3tuning, mlr3viz, miniUI, nabor, odbc, openeo, osmdata, paradox, plotly, pool, pROC, progressr, purrr, qgisprocess, ranger, rcartocolor, readr, reprex, rgrass, rmapshaper, rmarkdown, rnaturalearth, rnaturalearthdata, RPostgres, RPostgreSQL, Rsagacmd, rstac, s2, sfnetworks, smoothr, stars, stplanr, stringr, tibble, tictoc, tidygeocoder, tidytext, tidyr, tmap, tmaptools, tree, vegan, covr

Remotes mlr-org/mlr3extralearners, mlr-org/mlr3proba, nowosad/spDataLarge, r-tmap/tmap

VignetteBuilder knitr

Encoding UTF-8

License CC BY-NC-ND 4.0

Repository <https://geocompx.r-universe.dev>

RemoteUrl <https://github.com/geocompx/geocompkg>

RemoteRef HEAD

RemoteSha e6c5d110632fbdaf150f27ba667ea2e460308409

Contents

add_impact	2
Index	3

add_impact	<i>Return details of issues, with input an GitHub issue URL</i>
------------	---

Description

Return details of issues, with input an GitHub issue URL

Usage

```
add_impact(
  url_issue,
  vars = c("created_at", "type", "title", "comments", "state", "creator"),
  url_old_impact = NULL
)
```

Arguments

url_issue	The url of the issue to add
vars	Which variables to use?
url_old_impact	The previous state of the 'impact.csv' file

Examples

```
## Not run:
url_issue = "https://github.com/mtennekes/tmap/issues/196"
geocompr::add_impact(url_issue)
u = "https://github.com/Robinlovelace/geocompr/raw/main/our-impact.csv"
geocompr::add_impact(url_issue, url_old_impact = u)

## End(Not run)
```

Index

`add_impact`, 2